Product datasheet

Specifications



APC NetShelter SX, Server Rack Enclosure, 48U, Black, 2258H x 750W x 1200D mm

AR3357

Overview

Lead time	Usually in Stock

Main

Product or component type	Rack enclosure
number of rack unit	48U
Provided equipment	Baying hardware Key(s) Leveling feet Mounting hardware Pre-installed casters Side panels

Physical

Height	225.8 cm
Width	75 cm
Depth	120 cm
Net weight	185.45 kg
Colour	Black
Mounting preference	No preference
mounting mode	Not rack-mountable
Maximum mounting depth	104.8 cm
minimum mounting depth	26.19 cm
rack width	19"
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 16 gauge rear door 18 gauge roof 18 gauge side panels
Permanent permissible load	1020.6 kg dynamic 1701.0 kg static

Conformance

Standards	UL 2416 UL 60950-1 EIA-310E

Packing Units

Unit Type of Package 1	PCE

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 1	1
Package 1 Height	240 cm
Package 1 Width	85.1 cm
Package 1 Length	133.4 cm
Package 1 Weight	201.82 kg

Contractual warranty

Warranty	5 year repair or replace

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Learn more about Green Premium >





Take-back Transparency RoHS/REACh

Resource performance

Take-Back Program Available

Well-being performance

Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information