# Product datasheet

Specifications



## APC Symmetra PX Battery Frame for 400V PX 96/160kW & 208V PX 100kW for 9 Battery Modules

SYCFXR9

## Overview

| | |
|---|---|
| **Lead Time** | Usually Ships within 8 Weeks |

## Main

| | |
|---|---|
| **Number Of Rack Unit** | 42U |
| **Battery Type** | VRLA |
| **Provided Equipment** | Installation guide<br>User manual |

## Batteries & Runtime

| | |
|---|---|
| **Battery Location** | Battery cabinet |
| **Number Of Battery Free Slots** | 9 |
| **Number Of Battery Filled Slots** | 0 |
| **Device Mounting** | 19 inch battery tray |
| **Additional Information** | Request SYBT9-B4 for replacement battery |

## Physical

| | |
|---|---|
| **Colour** | Black |
| **Height** | 199.1 cm |
| **Width** | 60 cm |
| **Depth** | 107 cm |
| **Net Weight** | 345 kg |
| **Mounting Mode** | Not rack-mountable |
| **Usb Compatible** | No |

## Conformance

| | |
|---|---|
| **Standards** | EN/IEC 62040-2<br>EN/IEC 62040-3<br>EN/IEC 62040-1-1 |
| **Product Certifications** | CE |

## Environmental

| | |
|---|---|
| **Ambient Air Temperature For Operation** | 0…40 °C |
| **Operating Altitude** | 0...3333 ft |
| **Relative Humidity** | 0…95 % |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Ambient Air Temperature For Storage** | -15…40 °C |
| **Storage Altitude** | 0.00…15240.00 m |
| **Storage Relative Humidity** | 0…95 % |

## Packing Units

| | |
|---|---|
| **Unit Type Of Package 1** | PCE |
| **Number Of Units In Package 1** | 1 |
| **Package 1 Height** | 215 cm |
| **Package 1 Width** | 121 cm |
| **Package 1 Length** | 84.8 cm |
| **Package 1 Weight** | 379 kg |

## Contractual warranty

| | |
|---|---|
| **Warranty** | 1 year repair or replace |

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-$CO_2$ products.

Learn more about Green Premium >


Take-back


Transparency


RoHS/REACh

## Resource performance

- Take-Back Program Available

## Well-being performance

- Lead Free

## Certifications & Standards

| | |
|---|---|
| **Reach Regulation** | REACh Declaration |
| **Eu Rohs Directive** | Pro-active compliance (Product out of EU RoHS legal scope)<br>EU RoHS Declaration |
| **Environmental Disclosure** | Product Environmental Profile |