summary	
Exterior	Wide and deep general-purpose IT cabinets feature increased cabinet width for more cable management options in higher-density server and network applications. Includes integrated vertical 1U mounting space adjacent to the rack-standard EIA-310 equipment mounting space that can be eliminated and replaced with a 1U accessory. The cabinet is deep enough to provide additional equipment clearance space or more open space for easy access to the rear of the cabinet. The 42U height allows it to be easily rolled out from the porch.
Delivery date	Usually available from stock
main information	
Number of rack units	42U
Included equipment	Cabinet mounting accessories Front and rear cabinet doors Door lock keys Keyed doors and side panels Leveling legs Mounting accessories Pre-installed casters 4 Bolt mounting brackets Cabinet top Side panels Unpacking list
Physical parameters	
high	205.7cm
width	80cm

depth	120cm
net weight	139.5kg
color	Black
Mounting preference	No preference
Installation type	Not rack-mountable
Maximum installation depth	91.69cm
minimum mounting depth	16.76cm
Rack width	19"
Marking	14 gauge EIA mounting rail 16 gauge front door 18 gauge post 16 gauge rear door 19 gauge roof 18 gauge side panels
Permanent allowable load	459.94 kg dynamic1000.17 kg static

conformity

Standards compliant	UL 2416 UL 60950-1 EIA-310E

packaging unit	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	218.1cm
Package 1 Width	94 cm
Package 1 Length	130cm
Package 1 Weight	160.064kg
Contract warranty	
Warranty	5 years repair or replacement service