# Product datasheet

Specifications

## UPS Interface Expander 2

AP9624



## Overview

| | |
|---|---|
| **Presentation** | UPS Management SmartSlot offer with serial shutdown support of up to two additional devices such as Servers and Network Storage Devices. |
| **Lead Time** | Usually in Stock |

## Main

| | |
|---|---|
| **Product Or Component Type** | Expansion unit |
| **Number Of Cables** | 2 |
| **Provided Equipment** | RS-232 configuration cable<br>User manual<br>Warranty card |

## Physical

| | |
|---|---|
| **Height** | 3.8 cm |
| **Width** | 12.1 cm |
| **Depth** | 11.4 cm |
| **Net Weight** | 0.07 kg |
| **Mounting Preference** | No preference |
| **Mounting Mode** | Not rack-mountable |

## Conformance

| | |
|---|---|
| **Standards** | EN 55022 class A<br>EN 55024<br>FCC part 15 class A<br>IEC 62040-2 |
| **Product Certifications** | C-Tick<br>CE<br>Industry Canada |

## Environmental

| | |
|---|---|
| **Ambient Air Temperature For Operation** | 0…40 °C |
| **Operating Altitude** | 0...10000 ft |
| **Relative Humidity** | 0…95 % |
| **Ambient Air Temperature For Storage** | -15…45 °C |
| **Storage Altitude** | 0.00…15240.00 m |
| **Storage Relative Humidity** | 0…95 % |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Packing Units

| | |
|---|---|
| **Unit Type Of Package 1** | PCE |
| **Number Of Units In Package 1** | 1 |
| **Package 1 Height** | 5.1 cm |
| **Package 1 Width** | 16.5 cm |
| **Package 1 Length** | 23.5 cm |
| **Package 1 Weight** | 0.41 kg |

## Contractual warranty

| | |
|---|---|
| **Warranty** | 2 years repair or replace |

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-$CO_2$ products.

Learn more about Green Premium >






Energy Efficient | Take-back | Transparency | RoHS/REACh

## Resource performance

- Energy Efficient Product
- Take-Back Program Available

## Well-being performance

- Lead Free
- Mercury Free
- Rohs Exemption Information — Yes

## Certifications & Standards

| | |
|---|---|
| **Reach Regulation** | REACh Declaration |
| **Eu Rohs Directive** | Compliant with Exemptions |
| **Environmental Disclosure** | Product Environmental Profile |
| **Weee** | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |
| **Circularity Profile** | End of Life Information |