Product datasheet

Specifications



Rack PDU, Basic, 0U/1U, 100-240V/20A, 220-240V/16A, (7) C13, (2) C19

AP6120A

Overview

Lead time	Usually in Stock

Main

Product or component type	PDU
PDU type	Basic
Provided equipment	Installation guide Safety guide

Complementary

Input Voltage	100 V 120 V 200 V 208 V 230 V 240 V
Height	4.4 cm
Width	38.8 cm
Output Voltage	100 V 120 V 200 V 208 V 230 V 240 V
Depth	9.3 cm
Net weight	1.56 kg
mounting location	Front Rear
Mounting preference	No preference
Input Plug Type	IEC 60320 C20
mounting mode	Not rack-mountable
Rack units	1U
USB compatible	No
Mounting position	Horizontal
[In] rated current	16 A
Permissible voltage	100…240 V
Max line current	20 A
Input current limits	20 A

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Load capacity	2300 VA
Network frequency	50/60 Hz
Outlet type and quantity	7 IEC 60320 C13 2 IEC 60320 C19

Environment

Product certifications	cUL listed CE EAC IRAM PSE UL listed VDE

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	21 cm
Package 1 Width	7.6 cm
Package 1 Length	43.6 cm
Package 1 Weight	2.02 kg
SCC14	50731304327856

Contractual warranty

Warranty	2 years repair or replace

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Learn more about Green Premium >






Energy Efficient | Take-back | Transparency | RoHS/REACh

Resource performance

Energy Efficient Product	
Take-Back Program Available	

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information