Product datasheet

Specifications

Green Premium™

Rack PDU, Basic, 1U, 22kW, 400V, (6) C19



AP7526

Overview

Lead time	Usually in Stock

Main

Colour	Black
Product or component type	PDU
PDU type	Basic
Cord length	2.4 m
Number of cables	1
Provided equipment	Installation guide

Complementary

Input Voltage	400 V 3 phases
Height	4.4 cm
Width	43.7 cm
Output Voltage	230 V
Depth	25.4 cm
Net weight	4.84 kg
mounting location	Front Rear
Mounting preference	No preference
Input Plug Type	IEC 60309 32 A 3P + N + PE
mounting mode	Rack-mounted
Rack units	1U
Mounting position	Horizontal
Permissible voltage	200…250 V
Max line current	32 A
Input current limits	32 A
Load capacity	22000 VA
Network frequency	47...63 Hz
Outlet type and quantity	6 IEC 60320 C19

Environment

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product certifications	CE GOST VDE
Ambient air temperature for operation	-5…45 °C
Relative humidity	5…95 %
Operating altitude	0...10000 ft
ambient air temperature for storage	-25…65 °C
Storage Relative Humidity	5…95 %
Storage altitude	0.0000000000…15240.0000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	24.1 cm
Package 1 Width	55.9 cm
Package 1 Length	50.2 cm
Package 1 Weight	6.965 kg

Contractual warranty

Warranty	2 years repair or replace

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Learn more about Green Premium >






Energy Efficient Take-back Transparency RoHS/REACh

Resource performance

- Energy Efficient Product
- Take-Back Program Available

Well-being performance

- Lead Free

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information