Product datasheet

Specifications



Rack PDU 2G, Switched, 20A/208V, 16A/230V, (21) C13 & (3) C19

AP8959

Discontinued on: 29 Dec 2023

To be end-of-service on: 8 Mar 2025

To be discontinued

Overview

Lead Time	Usually in Stock

Main

Colour	Black
Pdu Type	Switched
Provided Equipment	Installation guide Rack mounting brackets Serial configuration cable Safety guide

Complementary

Input Voltage	200 V 208 V 230 V
Height	179.1 cm
Width	5.6 cm
Output Voltage	100 V 200 V 208 V 230 V
Depth	4.6 cm
Net Weight	5.73 kg
Mounting Location	Side
Mounting Preference	No preference
Input Plug Type	IEC 60320 C20
Mounting Mode	Not rack-mountable
Rack Units	0U
Usb Compatible	No
Mounting Position	Vertical
[In] Rated Current	16 A
Permissible Voltage	100…240 V
Input Current Limits	20 A
Load Capacity	3300 VA
Network Frequency	50/60 Hz

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Total Number Of Outlets	21 IEC 60320 C13 3 IEC 60320 C19

Environment

Product Certifications	cUL listed PSE UL listed VDE
Standards	EN 55022 class A EN 55024 EN 61000-3-2 EN 61000-3-3 FCC part 15 class A ICES-003
Ambient Air Temperature For Operation	-5…60 °C
Relative Humidity	5…95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-25…65 °C
Storage Relative Humidity	5…95 %
Storage Altitude	0.00…15240.00 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	200.2 cm
Package 1 Width	16.5 cm
Package 1 Length	11.4 cm
Package 1 Weight	7.86 kg

Contractual warranty

Warranty	2 years repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Learn more about Green Premium >




Energy Efficient Take-back

Resource performance

Energy Efficient Product	
Take-Back Program Available	

Well-being performance

Lead Free	
Mercury Free	
Rohs Exemption Information	Yes

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins