Product datasheet

Specifications



Symmetra PX 250/500kW Battery Enclosure for up to 8 Battery Modules & Start Up

SYBFXR8S

Overview

Presentation	Symmetra PX250/500kW, High Performance Battery Frame that can accommodate up to eight long life, high-capacity battery modules.
Lead Time	Usually Ships within 6 Weeks

Main

Battery Type	VRLA
Provided Equipment	Start-up service User manual

Batteries & Runtime

Number Of Battery Blocks Per String	6
Number Of Battery Free Slots	48
Number Of Battery Filled Slots	0
Device Mounting	Enclosed battery cabinet
Additional Information	Replacement Battery SKU - SYBT9-B6

Physical

Colour	Black
Height	199.1 cm
Width	75 cm
Depth	107 cm
Net Weight	373.64 kg

Conformance

Product Certifications	cUL listed CE UL listed VDE

Environmental

Ambient Air Temperature For Operation	0…40 °C
Operating Altitude	0...3333 ft
Relative Humidity	0…95 %
Ambient Air Temperature For Storage	-15…40 °C
Storage Altitude	0.00…15240.00 m

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Storage Relative Humidity	0…95 %

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	215 cm
Package 1 Width	127 cm
Package 1 Length	112 cm
Package 1 Weight	431.82 kg

Contractual warranty

Warranty	1 year on-site repair or replace with factory authorized Start-Up

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Learn more about Green Premium >




Energy Efficient Take-back

Resource performance

Energy Efficient Product

Take-Back Program Available

Well-being performance

Mercury Free

Rohs Exemption Information	Yes

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions